

PURODIL SYRUP: Composition: Each 10 ml. of syrup contains aq. extracts derived from:

Hindi Name	Botanical Name	Qty.
A. Aqueous extract:		
Manjisthadi Kwath (Brihat)	Classical Ay. Preparation	3 ml
B. Aqueous extracts derived from:		
Sariva	Hemidesmus indicus	380 mg
Guduchi	<i>Tinospora cordifolia</i>	300 mg
Manjisth	<i>Rubia cordifolia</i>	300 mg
Khadir	<i>Acacia catechu</i>	200 mg
Chirayata	<i>Swertia chirata</i>	200 mg
Javasa	<i>Alhagi pseudalhagi</i>	150 mg
Neem	<i>Azadirachta indica</i>	100 mg
Chopchini	<i>Smilax china</i>	100 mg
Ushwa	<i>Smilax ornata</i>	100 mg
Revand Chini	<i>Rheum emodi</i>	100 mg
Harad	<i>Terminalia chebula</i>	100 mg
Motha	<i>Cyperus rotundus</i>	75 mg
Amaltas	<i>Cassia fistula</i>	50 mg
Shirish	<i>Albizia lebbek</i>	50 mg
Nisoth	<i>Ipomoea turpethum</i>	50 mg
Gokhru	<i>Tribulus terrestris</i>	50 mg
Yashtimadhu	<i>Glycyrrhiza glabra</i>	50 mg
Kumari	<i>Aloe vera</i>	50 mg
Babul	<i>Acacia arabica</i>	50 mg
Kachnar	<i>Bauhinia variegata</i>	50 mg
Bakuchi	<i>Psoralea corylifolia</i>	50 mg
Haridra	<i>Curcuma longa</i>	50 mg
Chaul Mogra	<i>Hydnocarpus laurifolia</i>	50 mg
Brahmi	<i>Bacopa monnieri</i>	50 mg
Kasmard	<i>Cassia occidentalis</i>	50 mg
Mundi	<i>Sphaeranthus indicus</i>	30 mg
Tulsi	<i>Ocimum sanctum</i>	30 mg
Vidang	<i>Embelia ribes</i>	30 mg
Pitpapda	<i>Fumaria parviflora</i>	30 mg
Kalmegh	<i>Andrographis paniculata</i>	30 mg
Tarbooj	<i>Citrullus vulgaris</i>	30 mg
Kutaj	<i>Holarrhena antidysenterica</i>	30 mg
Kutaki	<i>Picrorhiza kurroa</i>	30 mg
Daruharidra	<i>Berberis aristata</i>	30 mg
Inderjav	<i>Holarrhena antidysenterica</i>	30 mg
Kamal	<i>Nelumbo nucifera</i>	20 mg
C.Liquids :		
Gulab Arka	<i>Rosa centifolia Dst.</i>	0.5 ml
Syrup sugar base		Q.S.
Excipients		Q.S.

PURODIL TABLET: Composition: Each coated tablet contains:

Hindi Name	Botanical Name	Qty.
Dried aqueous extracts derived from :		
Khadir	<i>Acacia catechu</i>	150 mg
Neem	<i>Azadirachta indica</i>	150 mg
Haridra	<i>Curcuma longa</i>	150 mg
Giloe	<i>Tinospora cordifolia</i>	150 mg
Chaul Mogra / tubrak	<i>Hydnocarpus laurifolia</i>	100 mg
Jawasa	<i>Alhagi camelorum</i>	100 mg
Gokhru	<i>Tribulus terrestris</i>	100 mg
Mulethi	<i>Glycyrrhiza glabra</i>	100 mg
Sanai	<i>Cassia angustifolia</i>	100 mg
Bakuchi	<i>Psoralea corylifolia</i>	75 mg
Manjeeth	<i>Rubia cordifolia</i>	75 mg
Kumari	<i>Aloe vera</i>	75 mg
Sariva	<i>Hemidesmus indicus</i>	50 mg

Revand Chini	<i>Rheum emodi</i>	50 mg
Vatjata	<i>Ficus bengalensis</i>	50 mg
Kachur	<i>Curcuma zedoaria</i>	50 mg
Bakayan	<i>Melia azedarach</i>	50 mg
Mundi	<i>Sphaeranthus indicus</i>	50 mg
Tulsi	<i>Ocimum sanctum</i>	50 mg
Kalmegh	<i>Andrographis paniculata</i>	50 mg
Kachnar	<i>Bauhinia variegata</i>	50 mg
Harad	<i>Terminalia chebula</i>	50 mg
Chopchini	<i>Smilax china</i>	40 mg
Chirayata	<i>Swertia chirata</i>	40 mg
Powders :		
Arogyavardhini Vati	Classical Ay. Preparation	50 mg
Ras Manikya	Classical Ay. Preparation	30 mg
Shudh Gandhak	Sulphur (Purified precipitated)	30 mg
Ushwa	<i>Smilax ornata</i>	30 mg
Kikar Phali	<i>Acacia arabica</i>	30 mg
Kutaki	<i>Picrorhiza kurroa</i>	10 mg
Excipients		Q.S.

Processed in the decoction of Maha Manjishthadi Kwath (AFI-I) (Classical Ay. Preparation, Processed) & Triphala (BPN) (An equi mix of T. chebula + E. officinalis + T. belerica, Fruit Pericarps), Kushmand Beej (Benincasa hispida, Seed) & Kumari (Aloe vera), Leaf)

PURODIL Gel: Composition: Each gram of gel contains:

Hindi Name	Botanical Name	Qty.
Alcoholic extracts derived from :		
Kokam	<i>Garcinia indica</i>	325 mg
Lavang	<i>Syzygium aromaticum</i>	100 mg
Yashtimadhu	<i>Glycyrrhiza glabra</i>	100 mg
Nimbu	<i>Citrus limon</i>	90 mg
Neem	<i>Azadirachta indica</i>	60 mg
Kumari	<i>Aloe vera</i>	50 mg
Sariva	<i>Hemidesmus indicus</i>	25 mg
Vach	<i>Acorus calamus</i>	10 mg
Dhania	<i>Coriandrum sativum</i>	7.5 mg
Daruhaldi	<i>Berberis aristata</i>	5 mg
Oils of		
Neem (API)	<i>Azadirachta indica Olie</i>	0.006 ml
Bavachi (API)	<i>Psoralea corylifolia Olie</i>	0.002 ml
Ark of		
Pudina (API)	<i>Mentha viridis Distt.</i>	0.1 ml
Gel base		Q.S.
Excipients		Q.S.

Dosage:

S. No.	Indications	Dosage form	Dosage		Min. Duration (Months)	
			Acute	Chronic	Acute	Chronic
1.	Acne	Syp.	2 tsf.TDS	2 tsf. B.D	2	3
		Tab.	2 TDS	2 B.D	2	3
		Gel	TDS.L/A	B.D L/A	2	3
2.	Pimples	Syp.	2 tsf.TDS	2 tsf. B.D	2	3
		Tab.	2 TDS	2 B.D	2	3
		Gel	TDS/L.A	BD /L.A	2	3

3.	Skin Allergies	Syp.	2 tsf.TDS	2 tsf. B.D	2	3
		Tab.	2 TDS	2 B.D	2	3
		Gel	TDS/L.A	BD /L.A	2	3
4.	Acne Spots	Syp.	2 tsf.T.D.S	2 tsf. B.D	2	3
		Tab.	2 TDS	2 B.D	2	3
		Gel	TDS.L/A	B.D L/A	2	3
5.	Skin Blemishes	Syp.	2 tsf.TDS	2 tsf. B.D	2	3
		Tab.	2 TDS	2 B.D	2	3
		Gel	TDS/L.A	BD /L.A	2	3